Amendments to the Claims

- 1. (Original) A composition comprising
 - a) 5 to 50% by weight of an aliphatic dialdehyde having 2 to 10 carbon atoms;
 - b) 2.5 to 20% by weight of at least one reductive saccharide having a dextrose equivalent of 10 to 100;
 - c) 2.5 to 20% by weight of at least one water-soluble, optionally monoetherified polyoxaalkylene glycol having a molecular weight of more than 100 and not more than 2000; and
 - d) 90 to 10% by weight of water,0.05 to 0.19 mol of the components b) and c) being added per mole of the component a).
- 2. (Currently amended) A composition according to claim 1, wherein the aliphatic dialdehydes correspond to the formula OHC-C_nH_{2n}-CHO, in which n is 0 or is a number from 1 to 8, and are preferably pentanedial.
- 3. (Original) A composition according to claim 1, wherein the amount of the aliphatic dialdehyde is 10 to 30% by weight.
- 4. (Original) A composition according to claim 1, wherein the saccharide is glucose or sucrose.
- 5. (Original) A composition according to claim 1, wherein the amount of saccharides is 2.5 to 15% by weight.
- 6. (Original) A composition according to claim 1, wherein the polyoxaalkylene glycols are polyoxaethylenediols and polyoxa-1,2-propylenediols and polyoxaethylenediols/polyoxa-1,2-propylenediols.
- 7. (Previously presented) A composition according to claim 1, wherein the polyoxaalkylene glycol has a molecular weight of 120 to 1000.

- 8. (Original) A composition according to claim 1, wherein the amount of the polyoxaalkylene glycol is 2.5 to 15% by weight.
- 9. (Original) A composition according to claim 1, wherein 0.07 to 0.15 mol of the components b) and c) are added per mole of the component a).
- 10. (Original) A process for the pretanning of pickled pelts in aqueous liquor at a liquor pH of 2.3 to 5, wherein a composition according to claim 1 is added to the liquor and allowed to act on the pelt.
- 11. (Original) A process according to claim 10, wherein the composition is used in an amount of 0.1 to 15% by weight, based on the weight of the pelt.
- 12. (Currently amended) A process according to claim 10, wherein the temperature of the liquor is room temperature, preferably 20 to 30°C.
- 13. (Original) A process according to claim 10, wherein the composition is first allowed to act at a pH of 2.3 to 3.6 and the pH is then increased to 4.0 to 5.0 and treatment is continued.
- 14. (Previously presented) A composition according to claim 6, wherein the polyoxaalkylene glycol has a molecular weight of 120 to 1000.
- 15. (New) A composition according to claim 1, wherein the aliphatic dialdehyde is pentanedial.
- 16. (New) The process according to claim 10, wherein the temperature of the liquor is 20 to 30°C.